

## DS-MH2111 Series Body Camera



### Introduction

DS-MH2111 series body camera a highly integrated device mainly designed for security and law enforcement. It records the image and audio of incident scene. Its small size, light weight, easy-to-carry, and easy-to-operate make it a good helper in law enforcement.

### Key Feature

- Embedded with an image sensor of 16 megapixel and ISP surveillance level.
- 127° horizontal FOV (Field of View) lens.
- Distortion correction.
- IR cut filter with automatic switch.
- Recording resolution is up to 1080p/60fps.
- Supports network transmission at high definition.
- Supports recording while taping.
- Transmits real-time videos and audios to management platform via built-in 4G module and Wi-Fi module.
- Built-in GPS positioning module.
- A large capacity battery with 4,000 mAh capacity which can record videos of 1080p for 8 hours.
- Provides microHDMI interface to transmit image to external screen.

### Available Model


DS-MH2111/32G, DS-MH2111/32G/GLE



## Specification

Model		DS-MH2111/32G	DS-MH2111/32G/GLE
Sensor	Type	CMOS, 16 MP	
	FOV	Horizontal FOV: 127°	
Display	Dimensions	2.0" TFT LCD	
Video Parameters	Video Input	1080p	
	Video Compression	H.264	
	Video Resolution	1080p/60fps, 720p/120fps, 704 × 480	
	Main stream	1080p/60fps	
	Sub-stream	720p/30fps	
	Video Format	.mp4	
	Picture Resolution	Up to 16 MP	
	Picture Format	.jpg	
	Shutter	Digital shutter	
	Day & Night	IR cut filter with auto switch	
	White Balance	Auto	
	Flashing Light	Supported	
	Laser Positioning	Supported	
Storage	Capacity	A built-in EMMC storage chip of 32 GB capacity	
Positioning	Satellite Positioning	Built-in GPS module	
Wireless Transmission	4G	Not supported	Supported. Frequency band: FDD LTE: Band 1, Band 2, Band 3, Band 4, Band 5, Band 7, Band 8, Band 20 WCDMA/HSDPA/HSUPA/HSPA+: Band 1, Band 2, Band 5, Band 8 GSM/GPRS/EDGE: 850 MHz/900 MHz/1800 MHz/1900 MHz
	Wi-Fi	Supported. 802.11b/g/n	
General	Working Temperature	-20 °C to +55 °C (-4 °F to +131 °F)	
	Working Humidity	≤ 90%	
	Ingress Protection Level	IP65	
	Dimensions (L × W × H)	105 × 61 × 25 mm (41.3 × 24.0 × 9.8')	
	Weight	Body camera: 220 g (0.49 lb)	
Others	Buttons	Power switch, Recording button, taping button, capture button, two-way audio button, alarm button, menu button, up button, down button, OK button.	
	USB Interface	Mini USB 2.0	
	Charging	Charging via USB interface	
	Battery	A dismountable battery with 4,000 mAh capacity which can record videos of 1080p for 8 hours.	
	microHDMI Interface	Supported	

**Typical Application**



**Dimension**

