



**How to Upgrade AX PRO Wireless Control Panel by Browser
(HPC Management)**



Title:	DS-PWA How to Upgrade AX PRO Wireless Control Panel by Browser(HPC Management)	Version:	v1.0	Date:	08/06/2020
Product:	DS-PWA Series AX PRO Wireless Security Control Panel			Page:	1 of 15

Preparation


1. DS-PWA Series AX PRO Wireless Security Control Panel
2. IE explorer
3. Newest Firmware file

How to Upgrade AX PRO Wireless Control Panel by Browser (HPC Management)



For AX PRO Panel, when you have add it to HPC (Hik-ProConnet) to manage, upgrade by Brower need PIN permissions from HPC browser.

1. HPC Browser Configuration

- 1) **Address: www.hik-proconnect.com**
- 2) Login Hik-ProConnet account and password




- 3) Select Site--Device
- 4) Click Apply for PIN , then it will show the Upgrade PIN for AX PRO Panel




2. Login Device Upgrade interface

- 1) Use Brower Login Panel IP, account and password is Hik-Connect account and password.




2) Select **Maintenance—Device Information—Remote Upgrade**



3) Enter Pin Code from Hik-ProConnect, and select the Upgrade File, then start upgrading.

Manufacture Authorization ✕


Pin code 

Upgrade ✕

Remote Upgrade

Upgrade Type

Upgrade File



See Far, Go Further

Security
WHOLESALEERS